COPPERHEAD CHEMICAL COMPANY®

SAFETY DATA SHEET RXL 648

Nitroglycerin and Butanetriol Trinitrate in Methylene Chloride

1. IDENTIFICATION

Product Identifier: RXL 648

Alternate Names: NG and BTTN in Methylene Chloride,

BNG 65 in Methylene Chloride

Intended Use: Propellant Ingredient

Manufacturer: Copperhead Chemical Company® Inc.

120 River Road

Tamaqua, PA 18252 USA

Emergency Contacts: CHEMTREC (USA) (800) 424-9300

CHEMTREC (INTERNATIONAL) +1 703-741-5970 Copperhead Chemical Company® Inc. (888) 742-4506

2. HAZARD(S) IDENTIFICATION

Classification of the substance or mixture:

Expl. 1.1;H201 Explosive; mass explosion hazard.

Acute Tox. 2;H300 Fatal if swallowed.

Acute Tox. 1;H310 Fatal in contact with skin.

Acute Tox. 2;H330 Fatal if inhaled.
Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2A: H319 Causes serious eye irritation.

Carc. 1B;H350 May cause cancer.

STOT SE 3: H335/336 May cause respiratory irritation. May cause drowsiness and dizziness. STOT RE 2;H373 May cause damage to organs through prolonged or repeated exposure

(oral, liver, kidney, blood).

Aquatic Chronic 2;H411 Toxic to aquatic life with long lasting effects. (Not adopted by US OSHA).

GHS Label Elements:



Danger

RXL 648 Page 2 of 14

Hazard Statements:

H201 Explosive; mass explosion hazard.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory tract irritation.

H336 May cause drowsiness and dizziness.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure. (oral, liver, kidney, blood).

H411 Toxic to aquatic life with long lasting effects.

Prevention Statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P230 Keep wetted with methylene chloride.

P240 Ground / bond container and receiving equipment.

P250 Do not subject to grinding / fire / sparks / excessive heat / impact / shock / friction.

P260 Do not breathe mist / vapors / spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P284 Wear respiratory protection.

Response Statements:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P302+350 IF ON SKIN: Gently wash with plenty of water.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P310 Immediately call a POISON CENTER or doctor / physician.

P314 Get Medical advice / attention if you feel unwell.

P320 Specific treatment is urgent (see information on this label).

P330 Rinse mouth.

P332+313 If skin irritation occurs: Get medical advice / attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P361 Remove / take off immediately all contaminated clothing.

P363 Wash contaminated clothing before reuse.

RXL 648 Page 3 of 14

P370+380 In case of fire: Evacuate area.

P372 Explosion risk in case of fire.

P373 DO NOT fight fire when fire reaches explosives.

P391 Collect spillage.

Storage Statements:

P401 Store in accordance with applicable regulations.

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal Statements:

P501 Dispose of contents / container in accordance with local / national regulations.

Hazards not otherwise classified (HNOC): Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation, and possible non-allergic contact dermatitis. Exposure can result in methemoglobinemia, cyanosis, and respiratory paralysis.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Nitroglycerin (Glycerol Trinitrate) CAS Number: 55-63-0	51.4	Acute Tox. 2;H300 Acute Tox. 1;H310 Acute Tox. 2;H330 STOT RE 2;H373 Aquatic Chronic 2;H411 Unst. Expl. H200	[1][2]
Butanetriol Trinitrate (BTTN) CAS Number: 6659-60-5	27.6	Acute Tox. 2;H300 Acute Tox. 1;H310 Acute Tox. 2;H330 STOT RE 2;H373 Unst. Expl.;H200	
Methylene chloride (Dichloromethane) CAS Number: 75-09-2	20	Carc. 1B;H350 Skin Irrit 2: H315 Eye Irrit 2A: H319 STOT SE 3: H336/H336	[1][2]
2-Nitrodiphenylamine (2NDPA) CAS Number: 119-75-5	1	Skin Irrit. 2;H315 Eye Irrit. 2;H319 STOT SE 3;H335	[1]

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

RXL 648 Page 4 of 14

H200 Unstable explosive.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H350 May cause cancer.

H336 May cause drowsiness and dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

This product contains desensitized explosives.

This product contains 29% of ingredients of unknown acute toxicity.

4. FIRST AID MEASURES

Description of first aid measures:

General: In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air, keep patient warm and at rest. If breathing has stopped,

give artificial respiration. If unconscious place in the recovery position and obtain

immediate medical attention.

Eyes: Irrigate copiously with clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

Skin: Remove contaminated clothing. Wash skin thoroughly with water.

Ingestion: If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

Most important symptoms and effects, both acute and delayed:

Overview: Contact with the product by all routes of entry may cause vasodilation, headache,

nausea, lightheadedness and hypotension. Extreme exposure can result in fatigue, confusion, convulsions, methemoglobinemia, cyanosis, respiratory paralysis, bradycardia, circulatory collapse or death. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis.

Product contains a suspected carcinogen.

RXL 648 Page 5 of 14

Symptoms of Exposure:

Inhalation: Harmful or fatal if inhaled. Extreme exposure may lead to central nervous

system effects (drowsiness, nausea, headaches, paralysis, loss of consciousness

and death.

Eyes: Contact with the eye may cause moderate to severe irritation.

Skin: Harmful or fatal if in contact with skin. Skin irritant. Prolonged or repeated

exposure may result in irritation and dermatitis. May be a sensitizer.

Ingestion: Harmful or fatal if swallowed. May produce central nervous system effects

(dizziness, loss of balance and coordination, unconsciousness, coma and death)

Chronic Effects: Possible cancer hazard. This product contains methylene chloride which is

known or suspected carcinogen.

5. FIRE FIGHTING MEASURES

Extinguishing media: DO NOT FIGHT FIRES INVOLVING EXPLOSIVES!

Special hazards arising from the substance or mixture:

SEVERE EXPLOSION HAZARD! Explosion can be caused by fire, sparks, excessive heat, impact, shock or friction. Risk of explosion increases with large quantities or confinement by tanks, drums, or other closed containers.

DO NOT FIGHT FIRES INVOLVING EXPLOSIVES! Separation of the explosive from the desensitizer, whether by extraction, evaporation, or any other means, is EXTREMELY HAZARDOUS. Contacting the product with water will separate the explosive from the desensitizer and concentrate the explosive. Keep containers closed. Undiluted explosive, even in small amounts, is an extreme explosion hazard. Explosion of undiluted or concentrated explosive may be caused by fire, sparks, excessive heat, impact, friction or shock. The explosive hazards of residual product or concentrated explosive may remain after the fire is extinguished and must be addressed before beginning any investigation or clean-up activities.

Possible toxic smoke, vapors, fallout and runoff water can result from fires depending on extent of combustion and presence of other combustible materials. Contaminated buildings, areas, and equipment must be properly decontaminated before reuse.

RXL 648 Page 6 of 14

Advice for fire-fighters:

DO NOT FIGHT FIRES INVOLVING EXPLOSIVES! Immediately evacuate the area to a safe distance. Utilize fixed extinguishing equipment and wear full protective clothing including SCBA when protecting surrounding structures. Avoid activities that may separate the nitroglycerin from the desensitizer.

ERG Guide No. 112

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

All operations should be performed by trained personnel familiar with the hazards and necessary precautions. Evacuate the area to a safe distance and prevent unnecessary personnel from entering the area. Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing. Dispose of contaminated articles or wash them thoroughly before reuse.

Environmental precautions: Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up:

It is recommended that prior to any spill, a RCRA permitted Treatment, Storage and Disposal Facility be consulted for the proper containers and absorbents to be used. Notify safety personnel and utilize personnel trained in the clean-up of products containing explosives. Do not subject product to fire, sparks, excessive heat, impact, friction or shock. Eliminate sources of ignition and ventilate spill area. Stop the leak if it is possible to do so without risk. Desensitize the spilled material with a compatible, miscible solvent. Use non-abrasive absorbents such as wipes or pads.

Caution! The presence or addition of abrasives or grit increases the risk of explosion caused by friction.

Caution! Evaporation of the solvent will increase the concentration of the explosive and increase the risk of explosion.

Take up the liquid before the solvent evaporates. Place the used absorbents in closed containers with bag liners to prevent evaporation of the solvent. After the spilled material is taken up, the spill area may be treated with fresh nitroglycerin destroyer.

Caution! Nitroglycerin destroyer contains a flammable component and liberates poisonous gas.

Nitroglycerin destroyer is made by mixing three parts by volume of Solution A with one part of Solution B, where Solution A is three parts by volume of ethanol with one part acetone and Solution B is 480 grams of 60% technical grade sodium sulfide in 1500 ml of water. Solution A is a flammable

RXL 648 Page 7 of 14

liquid and Solution B will react to liberate poisonous hydrogen sulfide gas. Remove all sources of ignition and ventilate spill area. Follow precautions on the supplier's material safety data sheets for the ingredients in Solutions A and B. Apply the nitroglycerin destroyer to the contaminated area. Some bubbling will occur and the mixture will turn yellow. When the reaction appears complete, mop it up with a cloth or sponge. Repeat until no color change occurs. Small quantities of hydrogen sulfide gas are evolved during the reaction. Provide adequate ventilation or an approved respirator for hydrogen sulfide (TLV 10 ppm). The cloth or sponge should be disposed of properly. Nitroglycerin destroyer is intended to be used only to destroy thin films of nitrate esters. The heat of reaction makes destruction of larger amounts by this method hazardous.

7. HANDLING AND STORAGE

Precautions for safe handling:

DANGER! SEVERE EXPLOSION HAZARD. Do not subject product to fire, sparks, excessive heat, impact, friction or shock. All operations should be performed by trained personnel familiar with the hazards and necessary precautions. Handle in well ventilated area designed for processing explosives. Observe exposure limits. Avoid contact with the product and avoid breathing vapors or aerosols. Avoid operations that could increase the concentration of the explosive or separate the explosive from the desensitizer. Separation of the explosive from the desensitizer, whether by extraction, evaporation, or any other means, is EXTREMELY HAZARDOUS. Contacting the product with water will separate the explosive from the desensitizer and concentrate the explosive. Keep containers closed. Undiluted explosive, even in small amounts, is an extreme explosion hazard. Explosion of undiluted or concentrated explosive may be caused by fire, sparks, excessive heat, impact, friction or shock. Non-sparking tools and equipment are recommended. Equipment should be bonded and grounded. Avoid operations that could generate electrostatic charges. Do not eat, drink, use tobacco products, apply cosmetics, or take medications in areas where this product is handled. Wash hands and face thoroughly with soap and water after handling and prior to eating, drinking, using tobacco products, applying cosmetics or taking medications. Thorough showering and changing into fresh clothes at the end of the work shift is strongly recommended. Launder work clothes daily or use disposable coveralls. Wash work clothes separately from other laundry.

Conditions for safe storage:

Handle containers carefully to prevent damage and spillage. Product should be stored in closed containers in a licensed, explosives storage magazine according to local, state and federal regulations. Store separate from incompatible materials. Product may become acidic as it ages. The pH and stabilizer content should be monitored regularly and the product should be destroyed or reprocessed if there is an indication of progressive degradation.

Incompatible materials: Oxidizers, acids and bases

RXL 648 Page 8 of 14

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: No applicable information was found for the mixture. Information about the ingredients is provided as a guide.

CAS No.	Ingredient	Source	Value
55-63-0	Nitroglycerin	OSHA	C 0.2 ppm (2 mg/m3) [skin]
		ACGIH	TWA: 0.05 ppm [skin]
		NIOSH	ST 0.1 mg/m3 [skin]
		Supplier	No Established Limit
75-09-2 I	Methylene chloride	OSHA	[1910.1052] TWA 25 ppm ST 125 ppm
		ACGIH	TWA: 25 ppm2B
		NIOSH	Ca
		Supplier	No Established Limit
119-75-5 2-Nitrodi	2-Nitrodiphenylamine	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
6659-60-5	Butanetriol Trinitrate (BTTN)	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Exposure controls:

Respiratory: Occupation exposures from this material should be determined by

individuals with experience in industrial hygiene. The selection of appropriate respiratory protective equipment should be based on results

from industrial hygiene surveys and respirator manufacturer's

specifications and/or recommendations. Nitroglycerin may be absorbed by some types of rubber and this may be a consideration in determining the

service life of elastomeric respirator facepieces.

Eyes: Wear chemical safety glasses, goggles or face shield appropriate for

exposure potential. Wearing contact lenses is not recommended when

working with hazardous chemicals.

Skin: Users must make the final determination of appropriate protective

clothing based on the conditions of use. Use protective clothing which is appropriate for the potential exposure. Any portion of the body which may come in contact with the product should be protected by materials

RXL 648 Page 9 of 14

that are impervious to the product under the conditions of use. Remove any contaminated clothing or footwear immediately. Dispose of contaminated articles or thoroughly decontaminate them before reuse. A one piece cotton uniform, conductive foot protection and cotton undergarments with appropriate outer protection is recommended. Clothing and shoes should have no metal fasteners or other items that might subject product to hazardous impact or friction.

Engineering Controls: Provide adequate ventilation suitable for flammable vapors. Where

practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Do not allow explosives to accumulate in the exhaust system. If ventilation is not sufficient to maintain concentrations of particulates and any vapor below occupational

concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices: Use good personal hygiene practices. Wash hands before eating,

drinking, smoking or using toilet. Promptly remove soiled clothing. Discard contaminated articles or wash them thoroughly before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear red orange Liquid

Odor Chloroform-like

Odor threshold No applicable information found PH No applicable information found

Melting point / freezing point < -10°F

Initial boiling point and boiling range

No applicable information found
No applicable information found
Evaporation rate

No applicable information found
No applicable information found
No applicable information found

Upper/lower flammability or explosive limits

No applicable information found

Vapor Density >1 Specific Gravity >1

Solubility in Water No data for the mixture NG = slight; BTTN = slight

methylene chloride = 1.32 g / 100g at 20°C

Partition coefficient n-octanol/water (Log Kow)

No applicable information found

Auto-ignition temperature

No applicable information found
Decomposition temperature

Viscosity (cSt)

No applicable information found
No applicable information found

RXL 648 Page 10 of 14

10. STABILITY AND REACTIVITY

Reactivity: Hazardous Polymerization will not occur.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: No applicable information found.

Conditions to avoid: Avoid fire, sparks, excessive heat, impact, friction, shock and direct sunlight. Avoid operations that could increase the concentration of the explosive or separate the explosive from the desensitizer. Undiluted explosive, even in small amounts, is an extreme explosion hazard.

Incompatible materials: Water, acids, bases, oxidizers. Contact with chemically active metals such as, aluminum or magnesium powder, sodium and potassium may cause fires and explosions. Methylene chloride will attack some forms of plastics, rubber, and coatings.

Hazardous decomposition products: High temperatures and fires may produce such toxic substances as nitrogen oxides, carbon monoxide, carbon dioxide, low molecular weight hydrocarbons and organic acids.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Skin contact, eye contact, inhalation, ingestion and injection are potential routes of exposure. This product can be absorbed through the skin.

Symptoms of exposure: See Section 4.

Acute toxicity: No applicable information was found for the mixture. Information about the ingredients is provided as a guide.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Nitroglycerin (55-63-0)	685.00, Rat - Category: 4	9,560.00, Rat - Category: NA	No applicable information found	No applicable information found	No applicable information found
Methylene chloride (75-09-2)	1,600.00, Rat - Category: 4	2,000.00, Rat - Category: 4	52.00, Rat - Category: NA	No applicable information found	No applicable information found
2-Nitrodiphenylamine (119-75-5)	No applicable information found	No applicable information found	No applicable information found	No applicable information found	No applicable information found
Butanetriol Trinitrate (6659-60-5)	No applicable information found	No applicable information found	No applicable information found	No applicable information found	No applicable information found

RXL 648 Page 11 of 14

Acute Toxicity Estimate:

Classification	Category	Hazard Description
Acute toxicity (oral)	2	Fatal if swallowed.
Acute toxicity (dermal)	1	Fatal in contact with skin.
Acute toxicity (inhalation)	2	Fatal if inhaled.
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2A	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity	1B	May cause cancer.
Reproductive toxicity		Not Applicable
STOT-single exposure	3	May cause respiratory irritation. May cause drowsiness and dizziness.
STOT-repeated exposure	2	May cause damage to organs through prolonged or repeated exposure. (oral, kidney, liver, blood).
Aspiration hazard		Not Applicable

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Carcinogenic Effects:

This product is not listed in the National Toxicology Program (NTP) and has not been found to be a potential carcinogen by the International Agency for Research on Cancer (IARC) or by OSHA. Information about the ingredients is provided as a guide.

CAS No.	Ingredient	Source	Value
55-63-0 Nitroglycerin	Nitroglycerin	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
75-09-2 Methylene chlorid	Methylene chloride	OSHA	Select Carcinogen: Yes
		NTP	Known: No; Suspected: Yes
		IARC	Group 1: No; Group 2a: Yes; Group 2b: No; Group 3: No; Group 4: No;
119-75-5	2-Nitrodiphenylamine	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

RXL 648 Page 12 of 14

6659-60-5	Butanetriol Trinitrate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group
			3: No; Group 4: No;

12. ECOLOGICAL INFORMATION

Ecological Toxicity: Toxic to aquatic life with long lasting effects.

Aquatic Ecotoxicity: No applicable information found.

Persistence and degradability: No applicable information found.

Bioaccumulative potential: No applicable information found.

Mobility in soil: No applicable information found.

Results of PBT and vPvB assessment: No applicable information found.

13. DISPOSAL CONSIDERATIONS

Description of Waste Residues: Waste residues of this product are hazardous waste.

Disposal Method: Before using the product, consult a RCRA permitted disposal facility regarding arrangements for disposal. All wastes must be disposed in accordance with RCRA hazardous waste regulations. Waste, even small quantities, should never be poured down the drain. Waste residues of the product should be destroyed at a RCRA permitted disposal facility equipped for the destruction of explosives.

Container Disposal: The empty product container should be destroyed at a RCRA permitted disposal facility equipped for the destruction of explosives. Do not distribute, make available, furnish or reuse empty container except for storage and shipment of original product.

RXL 648 Page 13 of 14

14. TRANSPORT INFORMATION

Please see the current shipping paper for the most up-to-date shipping information, including exceptions and special circumstances.

This material is regulated by the US DOT.

UN Number: UN0475

Proper Shipping Name: Substances, Explosive, N.O.S. (Contains Nitroglycerin and Butanetriol Trinitrate)

Hazardous Class: 1.1D

15. REGULATORY INFORMATION

Regulatory Overview: The regulatory data in Section 15 is not intended to be all-

inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA): All components of this material are either listed or exempt

from listing on the TSCA Inventory.

US EPA Tier II Hazards: Fire: Yes

Sudden Release of Pressure: Yes
Reactive: Yes
Immediate (Acute): Yes
Delayed (Chronic): Yes

EPCRA 311/312 Chemicals: Nitroglycerin (RQ: 10 lbs.)

Methylene chloride (RQ: 1,000 lbs.)

EPCRA 302 Extremely Hazardous: To the best of our knowledge, there are no chemicals at levels

which require reporting under this statute.

EPCRA 313 Toxic Chemicals: Nitroglycerin

Methylene chloride

New Jersey RTK Substances: Nitroglycerin

Methylene chloride

Pennsylvania RTK Substances: Nitroglycerin

Methylene chloride

RXL 648 Page 14 of 14

16. OTHER INFORMATION

Date Prepared: 1/21/21

The information contained herein is believed to be accurate and represents the best information currently available to us. This document is intended only as a guide to the appropriate precautionary handing of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. No warranty, either expressed or implied, of merchantability or fitness for a particular purpose, or of any nature with respect to the product, or to the information, is made herein.

End of Document