COPPERHEAD CHEMICAL COMPANY®

120 RIVER ROAD ~ TAMAQUA, PA 18252 TEL: (570) 386-6123 ~ FAX: (570) 386-6158

Product Information Bulletin for:

SDM® 27

Diluted Nitroglycerin, USP 10% Nitroglycerin in Propylene Glycol

General Characteristics:

Description	Diluted Nitroglycerin solution
Appearance @ 25°C	Clear, Colorless Liquid
Specific Gravity @ 25°C / 25°C	1.065

Standard Specifications:

Identification	Matches Standard
Organic Impurities	3.0% max on NG content with NMT 2.0% of any Individual Related Substance
Nitroglycerin Assay, %	9.5 to 10.5%
Residual Solvents (Ethyl Acetate)	70 ppm Maximum

We certify that this material meets the requirements of the current USP monograph for Diluted Nitroglycerin and was produced in conformity with current Good Manufacturing Practices for Active Pharmaceutical Ingredients.

Storage and Handling:

Store away from sources of heat. Store between 4°C and 30°C. Keep from freezing.

Safety:

Avoid any processing that might increase the concentration of nitroglycerin. Any such increase in concentration or separation of the active nitrate from the diluent could result in the formation of an explosive substance. Water can separate the nitroglycerin which may detonate. Repeated or prolonged contact can cause contact dermatitis. May be harmful if swallowed, inhaled, or absorbed through skin. Overexposure may induce cyanosis, hypertension, headaches, and dizziness.

Hazard Summary as Defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200:

Physical Hazards	None
Health Hazards	Based on Nitroglycerin – Inhalation (TLV), Irritant (Skin Sensitizer), Harmful (Methemoglobin Former, Oral, Dermal, and Inhalation)

For additional information and handling instructions, refer to the Safety Data Sheet. SDM® is a registered trademark.

Rev. Jan 2019